

Opening Tag	Closing Tag	Description
<html>	</html>	Opens and closes an HTML document
<head>	</head>	The first of two main sections of an HTML document. The <head> section is used to provide information about the document for use primarily by search engines and browsers.
<title>	</title>	The title of document. This element is nested inside the <head> section.
<body>	</body>	The second of two main sections of an HTML document. The <body> section contains all the content of the web page.

## Content (Container) Tags

Opening Tag	Closing Tag	Description
<h1> to <h6>	</h1>to</h6>	Headings. H1 is the main heading, H2 is secondary, etc.
<p>	</p>	Paragraph
<div>	</div>	A container for a <i>block</i> of content
<span>	</span>	A container for <i>in-line</i> content, such as content inside a paragraph.
<em>	</em>	Gives the contained text emphasis (usually as <i>italics</i> ).
<strong>	</strong>	Makes the contained text <b>bold</b> .
<a href = "document location">	</a>	Link
<ol>	</ol>	Ordered (numbered) list
<ul>	</ul>	Unordered (bulleted) list
<li>	</li>	List item, must be nested inside a list element such as a <ol> or <ul>
<!--	-->	Comment. Anything between these tags is not displayed on the screen. This is useful for making notes to yourself or to others who may view the source code of the web page.

## Empty (Non-Container) Tags

Tag	Description
<code>&lt;br /&gt;</code>	Line break.
<code>&lt;img src ="image location" alt="alternate text" /&gt;</code>	Inserts an image into a web page.

## Tables

Opening Tag	Closing Tag	Sample Attributes	Description
<code>&lt;table&gt;</code>	<code>&lt;/table&gt;</code>		Adds a table
<code>&lt;tr&gt;</code>	<code>&lt;/tr&gt;</code>		Table row (start & end).
<code>&lt;th&gt;</code>	<code>&lt;/th&gt;</code>	<code>scope="row"</code> <code>scope="col"</code>	When creating a table to display data, use this tag to differentiate the first row or column of cells as heading cells for all the other cells in the same column or row. Browsers typically display this element bold and centered within the table cell. The <i>scope</i> attribute defines whether this is a row header or column header.
<code>&lt;td&gt;</code>	<code>&lt;/td&gt;</code>		Table data cell.
		<code>colspan="number"</code>	Use with <code>&lt;th&gt;</code> or <code>&lt;td&gt;</code> elements. Spans cells across multiple columns.
		<code>rowspan="number"</code>	Use with <code>&lt;th&gt;</code> or <code>&lt;td&gt;</code> elements. Spans cells across multiple rows.